

CLAIMS:

1. A call processing method, including:
processing characteristic data associated with a communications call at a network switch
5 to determine if intelligent network (IN) service data is required to establish said call;
passing said characteristic data to a network service data gateway when said service data
is required;
processing at least part of said characteristic data by said gateway to determine a network
location to access in order to obtain said service data, and a communication protocol for
10 connecting to said network location; and
obtaining said service data and passing said service data to said switch to establish said
call.
2. A call processing method as claimed in claim 1, including storing said service data in
15 said gateway for subsequent requests for said service data.
3. A call processing method as claimed in claim 2, including deleting said service data
from said gateway after a predetermined period of time.
- 20 4. A call processing method as claimed in claim 1, wherein said network location is in a
central IN service data database.
5. A call processing method as claimed in claim 1, wherein said network location is in a
local mobile network.
- 25 6. A call processing method as claimed in claim 1, wherein said network location is in a
foreign telecommunications network.
7. A call processing method as claimed in claim 1, wherein said gateway is local to a user
30 originating said call.
8. A call processing method as claimed in claim 1, wherein said gateway includes Visitor
IN (VIN) computer logic for obtaining and caching service data for users in the area of said

09869408-100101

- 11 -

gateway.

9. A call processing method as claimed in claim 8, wherein said network location is within Home IN (HIN) computer logic including a central IN service data database.

5

10. A call processing method as claimed in any one of the preceding claims, wherein said communication call includes a voice, data or messaging connection.

11. A network system having:

10 a network switch for processing characteristic data associated with a communications call to determine if Intelligent Network (IN) service data is required to establish said call;

a network service data gateway for receiving said characteristic data from said network switch when said service data is required, said gateway being adapted to process at least part of the characteristic data to determine a network location to access in order to obtain said service

15 data, and a communication protocol for connecting to said network location; and

wherein said gateway is adapted to receive said service data and pass the service data to said switch to establish said call.

12. A network system as claimed in claim 11, wherein said gateway stores said service data
20 for subsequent requests for said service data.

13. A network system as claimed in claim 12, wherein said gateway deletes said service data after a predetermined period of time.

25 14. A network system as claimed in claim 11, wherein said network location is in a central IN service data database.

15. A network system as claimed in claim 11, wherein said network location is in a local mobile network.

30

16. A network system as claimed in claim 11, wherein said network location is in a foreign telecommunications network.

09569408-100101

- 12 -

17. A network system as claimed in claim 11, wherein said gateway is local to a user originating said call.

18. A network system as claimed in claim 11, wherein said gateway includes Visitor IN
5 (VIN) computer logic for obtaining and caching service data for users in the area of said gateway.

19. A network system as claimed in claim 18, wherein said network location is within Home
IN (HIN) computer logic including a central IN service data database.

10

20. A network system as claimed in any one of the preceding claims, wherein said communication call includes a voice, data or messaging connection.

21. A network system as claimed in claim 11, including a plurality of said gateway covering
15 respective areas.

22. A network system as claimed in claim 11, wherein said service data is public mobility data.

20 23. A network system as claimed in claim 11, wherein said service data is terminal network selection data.

24. A network system as claimed in claim 11, wherein said gateway includes means for policing messages passed between networks.

25

Ins A6 >